This Instrument Prepared By:

Harwell Barr Martin & Stegall
A Professional Corporation
172 Second Avenue North
Nashville, TN 37219

Fall 31

BOOK 6805 PAGE 806

Address New Owner:

Joe A. McDermott, Trustee
1919 Allen Parkway
Suite 300
Houston, Texas 77019

Send Tax Bills To:

Same

Map-Parcel Numbers

Davidson County
Map 140
Parcels 1, 4, 5, 6,
10, 11, 12, 17, 18,
19, 21, 22, 23, 24,
25, 26, 27, 28, 29, 40
Map 126, Parcel 65
Cheatham County
Map 100, Parcel 5
Map 101, Parcel 2

83694

IDENTIFICATION REFERENCE

MAR 17 3 21 PM '86

FELIX Z. WILSON II REGISTER
DAVIDSON COUNTY, TN

WARRANTY DEED

FOR AND IN CONSIDERATION OF Ten and No/100 ($10.00) Dollars, assumption of a promissory note in the original principal amount of One Hundred Eleven Thousand Five Hundred Twenty-Six and 70/100 Dollars ($111,526.70), assumption of a promissory note in the original principal amount of Three Million Five Hundred Thirty-Four Thousand Nine Hundred Seventy-Nine and 68/100 Dollars ($3,534,979.68) and other good and valuable consideration, the receipt of all of which is hereby acknowledged, CALVIN D. DUNAHM, JR., Trustee for Biltmore Properties, a Kentucky general partnership consisting of Calvin D. Dunham, Jr. and ADGER INVESTMENTS, a Texas general partnership composed solely of John H. Adger and Stephen A. Adger, the Grantors herein have bargained and by these presents do transfer and convey unto JOE A. MCDERMOTT, JR., TRUSTEE, the GRANTEE herein, his successors and assigns with full power to sell, transfer, convey, mortgage or encumber in any manner whatsoever, all without joinder of any other party, a certain tract or parcel of land in Davidson and Cheatham Counties, Tennessee, described in Appendix A hereto attached and made a part hereof, the same as though copied herein verbatim the said Appendix A consists of 12 typewritten pages, each of which is labeled Appendix A to this Deed.

To have and to hold the said tract or parcel of land, with the appurtenances, estate, title and interest thereto belonging to the said GRANTEE, its successors and assigns, forever. GRANTORS do covenant with the said GRANTEE that they are lawfully seized and possessed of said land in fee simple, have a good right to convey it, and the same is unencumbered except for Deeds of Trust of record in Book 6530, page 532 Register's Office of Davidson County, Tennessee and Book 240, page 321 Register's Office of Cheatham County, Tennessee and easements of public record in said Register's Office. GRANTORS do further covenant and bind

themselves, their heirs and representatives to warrant and forever defend the title to the said land to the said GRANTEE, its heirs and assigns against the lawful claims of all persons, whomsoever.

GRANTORS do hereby sell, transfer and deliver unto GRANTEE all right, title and interest, in and to all GRANTORS' personal property situated on this land on this date, which GRANTORS represent and warrant to GRANTEE that said personal property is owned free and clear of any liens or encumbrances and that GRANTORS have a good right and authority to convey it. NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE IN RESPECT TO SAID PERSONAL PROPERTY ARE MADE AND SAID WARRANTIES ARE EXPRESSLY DISCLAIMED AND SAID PERSONAL PROPERTY IS SOLD AS IS.

WITNESS Our hands this 27th day of February, 1986.

CALVIN D. DUNHAM, Jr., Trustee TRUSTEE

BILTMORE PROPERTIES, a Kentucky General Partnership

By: CALVIN D. DUNHAM, JR., General Partner

ADGER INVESTMENTS, a Texas General Partnership

By: JOHN H. ADGER, General Partner

By: STEPHEN A. ADGER, General Partner

STATE OF TENNESSEE)
COUNTY OF DAVIDSON)

Before me, Sandra K. Hamm, of the state and county aforesaid, personally appeared JOHN H. ADGER, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence and who, upon oath, acknowledged himself to be a partner of Adger Investments, the within named bargainor, a partnership, and that he as such partner, executed the foregoing instrument for the purpose therein contained, by signing the name of the partnership by himself as partner.

Witness my hand, at office, this 27th day of February, 1986.

Sandra K. Hamm
Notary Public

My Commission Expires:

1-18-87

STATE OF TENNESSEE)
COUNTY OF DAVIDSON)

Before me, Sandra K. Hamm, of the state and county aforesaid, personally appeared STEPHEN A. ADGER, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence and who, upon oath, acknowledged himself to be a partner of Adger Investments, the within named bargainor, a partnership, and that he as such partner, executed the foregoing instrument for the purpose therein contained, by signing the name of the partnership by himself as partner.

Witness my hand, at office, this 27th day of February, 1986.

Sandra K. Hamm
Notary Public

My Commission Expires:

1-18-87

STATE OF TENNESSEE)
COUNTY OF DAVIDSON)

Before me, Sandra K. Hamm, of the state and county aforesaid, personally appeared CALVIN D. DUNHAM, JR., with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence and who, upon oath, acknowledged himself to be a partner of Biltmore Properties, the within named bargainor, a partnership, and that he as such partner, executed the foregoing instrument for the purpose therein contained, by signing the name of the partnership by himself as partner.

Witness my hand, at office, this 27th day of February, 1986.

Sandra K. Hamm
Notary Public

My Commission Expires:

1-18-87

STATE OF TENNESSEE)
COUNTY OF DAVIDSON)

BOOK 6805 PAGE 809

Personally appeared before me, Sandra K. Hanna, a Notary Public of said County, CALVIN D. DUNHAM, JR., Trustee, the within named bargainor, with whom I am personally acquainted, or proved to me on the basis of satisfactory evidence and who acknowledged that he executed the within instrument for the purposes therein contained.

Witness my hand, at office, this 27th day of February, 1986.

Sandra K. Hanna
Notary Public

My Commission Expires:

1-18-87

STATE OF TENNESSEE)
COUNTY OF DAVIDSON)

The actual consideration for this transfer or value of the property (whichever is greater) is $ 11,488,645.90. This is equal to or greater than the property would bring at a fair and voluntary sale.

Calvin D. Dunham, Jr. Trustee

Subscribed to and sworn to before me, this 14th day of ~~February~~ March, 1986.

Debbie Tribble
Notary Public

My Commission Expires:

9-20-86

KLF/fjp

Parcel 1

Being a parcel of land in Davidson County and Cheatham County, Tennessee, located approximately 18 miles west of Nashville on Interstate 40 at McCrory Lane:

Tract 1A

BEGINNING at an iron pin in the southern margin of L & N Railroad and the eastern side of the Harpeth River, being the northern most point of the tract;
THENCE, with the southern L & N right-of-way in an easterly direction on a curve to the left a distance of 683.69 feet to an iron pin;
THENCE, S 84° 40' 35" E, 42.03 feet to an iron pin;
THENCE, leaving the L & N Railroad right-of-way S 17° 03' 08" E, 2,797.75 feet [Preparer's Note: Survey shows 2,795.75 feet] to an iron pin;
THENCE, S 68° 54' 58" W, 360.40 feet to an iron pin;
THENCE, S 22° 41'27" E, 313.71 feet to an iron pin;
THENCE, S 13° 04' 23" E, 69.95 feet to a 24" Hackberry;
THENCE, S 18° 39' 50" E, 234.22 feet to an iron pin;
THENCE, S 21° 17' 07" E, 352.20 feet to an iron pin;
THENCE, in a westerly direction with the westerly margin of Newsom Station Road on a curve to the right a distance of 123.62 feet to an iron pin in the northerly margin of Newsom Station Road;
THENCE, S 81° 07' 44" W, 498.31 feet to an iron pin;
THENCE, N 08° 36' 03" W, 26.47 feet to a concrete monument;
THENCE, S 80° 49' 55" W, 157.64 feet to a concrete monument;
THENCE, in a westerly direction along the northern margin of Newsom Station Road on a curve to the left a distance of 130.60 feet to a concrete monument;
THENCE, N 27° 08' 04" W, 13.72 feet to a concrete monument;
THENCE, S 59° 42' 00" W, 206.23 feet to a point;
THENCE, N 24° 29' 01" W, 195.94 feet to an iron pin;
THENCE, N 50° 41' 52" W, 434.60 feet to an Elm;
THENCE, N 17° 57' 46" W, 597.54 feet to an iron pin;
THENCE, N 53° 20' 38" W, 414.87 feet to an iron pin;
THENCE, N 24° 44' 30" W, 423.64 feet to an iron pin;
THENCE, N 36° 51' 12" W, 794.47 feet to an iron pin;
THENCE, N 57° 12' 00" W, 346.18 feet to a 24" Hackberry;
THENCE, with line along eastern margin of Harpeth River, N 52° 43' 33" E, 262.81 feet to a 10" Hackberry;
THENCE, N 49° 41' 26" E [Preparer's Note: Survey shows N 46° 41' 26"], 453.69 feet, to a 48" Hackberry;
THENCE, N 33° 15' 33" E, 560 feet [Preparer's Note: Survey shows 560.61 feet] to a dead tree;
THENCE, N 30° 01' 11" E, 181.45 feet to a 12" Hackberry;
THENCE, N 34° 37' 20" E, 293.69 feet to a 12" Hackberry;
THENCE, N 36° 57' 29" E, 421.32 feet to a point of beginning;
Containing 152.17 acres, more or less and being part of that land conveyed by Alfred C. Farris, III to Farris Hardwood Lumber Company by deed of record in Book 5985, page 421 and by W. M. Farris, et. al. to Farris Hardwood Lumber Company by deed of record in Book 4522, page 828, Register's Office of Davidson County.

Tract 1B

BEGINNING at a concrete monument in the southeastern corner of the intersection of Interstate 40 right-of-way and Newsom Station Road;
THENCE, N 61° 15' 15" E, 391.91 feet to a concrete monument;
THENCE, N 30° 23' 25" W, 15.46 feet to a concrete monument;
THENCE, in an easterly direction along the southern margin of Newsom Station Road a distance of 96.71 feet to a concrete monument;
THENCE, N 81° 46' 07" E, 157.85 feet to a concrete monument;

THENCE, N 08° 36' 03" W, 32.19 feet to a point;
THENCE, N 81° 07' 44" E, 0.77 feet to a point;
THENCE, leaving Newsom Station Road S 14° 26' 23" E, 153.62 feet to a point;
THENCE, N 81° 08' 29" E, 210.79 feet to a point;
THENCE, N 16° 17' 26" W, 154.23 feet to a point on the south margin of Newsom Station Road;
THENCE, N 81° 07' 44" E, 291.91 feet to an iron pin;
THENCE, in an easterly direction with the southern margin of Newsom Station Road on a curve to the left a distance of 127.33 feet to an iron pin;
THENCE, S 40° 33' 53" E, 73.35 feet to an iron pin;
THENCE, S 21° 34' 14" E, 380.07 feet to a concrete monument;
THENCE, S 21° 45' 28" E, 21.49 feet to a concrete monument in the northerly margin of said Interstate 40 right-of-way;
THENCE, with the northern right-of-way line of Interstate 40 in a westerly direction on a curve to the right a distance of 395.45 feet to a concrete monument;
THENCE, S 89° 15' 18" W, 956.49 feet to the point of beginning;
Containing 6.64 acres, more or less, and being part of that land conveyed by W. M. Farris, et. al. to Farris Hardwood Lumber Company by deed of record in Book 4522, page 828, Register's Office of Davidson County.

Tract 1C

BEGINNING at an iron pin in the westerly margin of McCrory Lane, north of Interstate 40, approximately 350 feet northwest of the intersection of McCrory Lane and Newsom Station Road;
THENCE, S 38° 51' 29" E, 394.50 feet to a point;
THENCE, S 89° 22' 51" W, 188.10 feet to an iron pin;
THENCE, N 10° 53' 14" W, 314.89 feet to the point of beginning;
Containing 0.67 acres, more or less, and being part of that land conveyed by W. M. Farris, et. al. to Farris Hardwood Lumber Company by deed of record in Book 4522, page 828, Register's Office of Davidson County.

Tract 1D

BEGINNING at a concrete monument approximately 200 feet northwest of the intersection of Newsom Station Road and McCrory Lane;
THENCE, N 49° 30' 53" W [Preparer's Note: Survey shows N 45° 30' 53" W], 205.70 feet to an iron pin;
THENCE, N 16° 26' 53" W, 111.51 feet to an iron pin;
THENCE, S 83° 04' 20" E, 2,717.75 feet to an iron pin;
THENCE, S 24° 29' 01" E, 36.69 feet to a point located in the northerly margin of Newsom Station Road;
THENCE, along the northerly margin of Newsom Station Road: S 59° 42' 00" W, 217.80 feet to a concrete monument; thence S 35° 27' 35" E, 14.80 feet to a concrete monument; thence in a westerly direction along the northern margin of Newsom Station Road on a curve to the right a distance of 133.12 feet to a concrete monument; thence S 89° 22' 51" W, 1,176.87 feet to a concrete monument; thence N 75° 05' 53" W, 1,088.31 feet to the point of beginning;
Containing 17.16 acres, more or less, and being part of that land conveyed by W. M. Farris, et. al. to Farris Hardwood Lumber Company, by deed of record in Book 4522, page 828, Register's Office of Davidson County.

Tract 2

BEGINNING at a concrete monument located in the northerly margin of McCrory Lane and the southern right-of-way line of Interstate 40;

Appendix A

THENCE, along the southern right-of-way line of Interstate 40:
N 81° 11' 01" E, 454.08 feet to a concrete monument; N 89° 23' 17" E, 1,000.15 feet to a concrete monument; S 00° 40' 04" E, 59.60 feet to a concrete monument; N 89° 20' 46" E, 399.80 feet to a concrete monument; N 83° 57' 17" E, 654.30 feet to a concrete monument; continuing in a easterly direction on a curve to the right a distance of 504.45 feet to a concrete monument; N 87° 32' 09" E, 536.07 feet to a concrete monument; S 02° 51' 27" E, 94.60 feet to a concrete monument; N 86° 16' 10" E, 265.44 feet to an iron pin;
THENCE, leaving the Interstate 40 right-of-way, S 06° 16' 43" E, 165.05 feet to an iron pin;
THENCE, S 37° 02' 30° E, 1540.91 feet to an iron pin;
THENCE, N 82° 46' 42" W, 1,076.58 feet to an iron pin;
THENCE, S 10° 06' 29" W, 321.26 feet to an iron pin, being in the northerly margin of McCrory Lane;
THENCE, along the northerly margin of McCrory Lane:
N 40° 23' 09" W, 49.44 feet to an iron pin; in a westerly direction on a curve ot the left a distance of 204.96 feet to an iron pin; S 41° 29' 14" W, 5.00 feet to an iron pin; in a westerly direction on a curve to the left a distance of 357.14 feet to an iron pin; S 27° 16' 37" W, 5.00 feet to an iron pin; in a westerly direction on a curve to the left a distance of 567.18 feet to an iron pin; N 85° 22' 09" W, 258.37 feet to an iron pin; in a westerly direction on a curve to the right a distance of 555.66 feet to an iron pin; N 73° 49' 29" W, 477.91 feet to an iron pin; N 16° 10' 31" E, 5.00 feet to an iron pin; N 73° 49' 29" W, 258.40 feet to an iron pin; in a westerly direction on a curve to the right a distance of 401.31 feet to an iron pin; N 57° 20' 04" W, 453.96 feet to an iron pin; N 32° 39' 56" E, 30.00 feet to a concrete monument; N 59° 28' 03" W, 435.67 feet to the point of beginning;
Containing 89.59 acres, more or less, and being part of that land conveyed by W. M. Farris, et. al. to Farris Hardwood Lumber Company by deed of record in Book 4522, page 828, Register's Office of Davidson County.

Tract 3

BEGINNING at an iron pin in the southerly margin of McCrory Lane, said pin being the northeast corner of a 20.4-acre tract of land of Alfred Farris as described in Book 3312, Page 241, Register's Office of Davidson County;
THENCE, the following calls along the southerly margin of McCrory Lane:
In an easterly direction on a curve to the left a distance of 117.15 feet to an iron pin; S 85° 22' 09" E, 258.37 feet to an iron pin; in an easterly direction on a curve to the right a distance of 890.92 feet to an iron pin; S 41° 29' 13" W, 15.0 feet to an iron pin; in an easterly direction on a curve to the right a distance of 194.32 feet to an iron pin; N 49° 36' 50" E, 15.0 feet to an iron pin; S 40° 23' 10" E, 204.85 feet to an iron pin; in an easterly direction on a curve to the left a distance of 373.19 feet to an iron pin; S 58° 24' 12" E, 365.44 feet to an iron pin; in an easterly direction on a curve to the right a distance of 1,019.83 feet to an iron pin; S 37° 42' 25" E, 340.69 feet to an iron pin;
THENCE, leaving McCrory Lane N 84° 51' 49" W, 167.11 feet to an iron pin;
THENCE, S 04° 11' 49" W, 384.65 feet to an iron pin;
THENCE, S 19° 40' 18" E, 382.93 feet to an iron pin;
THENCE, S 09° 38' 42" W, 116.79 feet to an iron pin;
THENCE, S 31° 32' 43" E, 523.80 feet to an iron pin;
THENCE, S 66° 10' 01" E, 240.75 feet to an iron pin;
THENCE, S 07° 18' 58" W, 393.93 feet to an iron pin;
THENCE, N 81° 37' 11" W, 992.23 feet to an iron pin;
THENCE, S 15° 49' 53" W, 532.42 feet to a corner post;
THENCE, N 84° 02' 57" W, 695.08 feet to an iron pin;

THENCE, N 06° 03' 32" E, 547.86 feet to a corner post;
THENCE, N 82° 01' 47" W, 648.20 feet to an iron pin;
THENCE, S 07° 31' 29" W, 2,520.01 feet to an iron pin;
THENCE, S 01° 13' 06" W, 401.14 feet to an iron pin;
THENCE, N 84° 53' 15" W, 2,063.87 feet to an iron pin;
THENCE, S 08° 08' 29" W, 1,066.73 feet to an iron pin;
THENCE, N 84° 53' 15" W, 347.25 feet to a rock;
THENCE, N 22° 00' 00" W, 1,165.68 feet to an iron pin;
THENCE, N 04° 21' 40" E, 928.73 feet to a rock;
THENCE, N 87° 17' 21" W, 716.00 feet to an iron pin;
THENCE, N 02° 42' 39" E, 869.00 feet to an iron pin;
THENCE, N 75° 59' 21" W, 2,755.85 feet to an iron pin;
THENCE, S 02° 42' 39" W, 1,409.00 feet to an iron pin;
THENCE, N 87° 17' 21" W, 2,419.00 feet to a 36" Beech;
THENCE, S 00° 52' 34" E, 159.13 feet to an iron pin;
THENCE, N 84° 48' 25" W, 1,219.48 feet to an iron pin;
THENCE, N 01° 36' 55" E, 793.04 feet to an iron pin;
THENCE, N 84° 48' 25" W, 156.74 feet to a 24" Beech;
THENCE, N 86° 09' 10" W, 53.53 feet to a point;
THENCE, N 01° 04' 17" E, 532.51 feet to an iron pin;
THENCE, N 84° 25' 54" W, 2,389.08 feet to an iron pin;
THENCE, N 05° 14' 17" E, 157.02 feet to an iron pin;
THENCE, N 83° 05' 26" W, 462.00 feet to an iron pin;
THENCE, S 30° 11' 14" W, 670.83 feet to an iron pin;
THENCE, N 80° 35' 01" W, 100.00 feet to centerline of South Harpeth River;
THENCE, along the centerline of said river:

N 37° 49' 29" E, 451.22 feet to a point; N 19° 11' 21" E, 591.26 feet to a point; N 23° 17' 29" E, 155.93 feet to a point; N 27° 19' 26" E, 275.42 feet to a point; N 20° 42' 12" W, 68.57 feet to a point; N 47° 40' 00" W, 242.00 feet to a point; N 62° 07' 00" W, 192.50 feet to a point; N 80° 17' 59" W, 341.14 feet to a point;

THENCE, leaving the centerline of said river, N 44° 19' 25" E, 222.30 feet to a pile of stones;
THENCE, S 82° 12' 09" E, 674.71 feet to a large stone;
THENCE, N 07° 07' 30" E, 2,911.87 feet to an iron pin;
THENCE, S 88° 15' 46" E, 4,373.32 feet to an iron pin;
THENCE, S 06° 21' 45" E, 277.97 feet to an iron pin;
THENCE, S 68° 18' 54" E, 493.74 feet to an iron pin;
THENCE, S 01° 36' 06" W, 587.40 feet to an 18" Oak;
THENCE, N 88° 51' 22" E, 587.15 feet to an iron pin;
THENCE, N 66° 05' 14" E, 368.78 feet to an iron pin;
THENCE, N 56° 51' 25" E, 299.30 feet to an iron pin;
THENCE, N 73° 26' 27" E, 282.08 feet to an iron pin;
THENCE, N 35° 43' 23" E, 499.17 feet to an iron pin;
THENCE, N 23° 09' 33" E, 373.20 feet to an iron pin;
THENCE, N 31° 00' 00" E, 93.00 feet to an iron pin;
THENCE, N 51° 13' 28" E, 199.39 feet to an iron pin in the southerly line of the right-of-way of Interstate 40;
THENCE, with the southerly line of the Interstate 40 right-of-way:

in an easterly direction on a curve to the left a distance of 166.51 feet to a concrete monument; N 89° 20' 14" E, 651.79 feet to a concrete monument; S 84° 18' 15" E, 1,495.49 feet to a concrete monument; in an easterly direction on a curve to the right a distance of 372.80 feet to a concrete monument; S 59° 56' 13" E, 148.92 feet to a concrete monument; N 32° 39' 56" E, 25.00 feet to an iron pin;

THENCE, along the southerly margin of McCrory Lane:

S 57° 20' 04" E, 453.96 feet to an iron pin; in an easterly direction on a curve to the left a distance of 418.58 feet to an iron pin; S 73° 49' 29" E, 258.40 feet to an iron pin; N 16° 10' 31" E, 5.0 feet to an iron pin; S 73° 49' 29" E, 168.29 feet to an iron pin;

THENCE, leaving McCrory Lane S 26° 10' 31" W, 910 feet to a point;
THENCE, S 51° 37' 10" E, 755.69 feet to an iron pin;

THENCE, N 26° 10' 31" E, 1,236.31 feet to the point of beginning;
Containing 1,718.32 acres, more or less, and being that land conveyed to W. M. Farris, et. al. to Farris Hardwood Lumber Company, by deed of record in Book 4522, page 828; and by Alfred C. Farris, III and wife, Carney O. Farris to Farris Hardwood Lumber Company, by deed of record in Book 5590, page 803; and by Bill Davis and wife, Rose M. Davis to Farris Hardwood Lumber Company, by deed of record in Book 4902, page 588, Register's Office of Davidson County.

All the aforesaid tracts as described by a boundary survey of Hart-Freeland-Roberts, Inc. dated September 9, 1974, and conveyed to Calvin D. Dunham, Jr., Trustee by deed of record in Book 6430, page 509, Davidson County Register's Office, and Book 234, page 477, Cheatham County Register's Office.

THE AFOREREFERENCED PROPERTY HAS ALSO BEEN DESCRIBED ACCORDING TO A SURVEY OF BARGE, WAGGONER, SUMNER & CANNON, INC. DATED MARCH 3, 1986, AS FOLLOWS:

Parcel 1

Tract 1-A

Being a parcel of land located in the Second Civil District, 23rd Councilmanic District, Nashville, Davidson County, Tennessee, said parcel being located north of I-40 and Newsom Station Road and east of McCrory Lane, being more particularly described as follows:

BEGINNING at a point, this point being an iron pin at a fence corner, this point also being the southeast corner of the Robert E. Lee Travis property as recorded in Will Book 57, Page 456, Register's Office of Davidson County, and being N 25° 18' 39" W, 36.64 feet from an iron pin set in the northern right-of-way line of Newsom Station Road approximately 2,550 feet east of the centerline of McCrory Lane;

THENCE, along a fence bounded by the Robert E. Lee Travis property, the following seven calls:

N 25° 18' 39" W, 189.19 feet to an iron pin;
N 51° 52' 32" W, 406.01 feet to a fence corner at 12-inch Hackberry;
N 18° 00' 32" W, 597.60 feet to an iron pin;
N 51° 49' 38" W, 413.19 feet to an iron pin;
N 26° 04' 03" W, 420.00 feet to an iron pin;
N 36° 48' 48" W, 795.09 feet to an iron pin;
N 57° 40' 00" W, 345.79 feet to an iron pin at a 24-inch Hackberry on the southern bank of the Harpeth River;

THENCE, along the southern bank of the Harpeth River, the following six calls:

N 52° 45' 09" E, 265.81 feet to a 10-inch Hackberry;
N 46° 21' 26" E, 453.69 feet to a point;
N 33° 15' 33" E, 560.61 feet to a point;
N 30° 01' 11" E, 181.45 feet to a point;
N 34° 09' 51" E, 291.18 feet to an iron pin;
N 36° 57' 29" E, 421.32 feet to an iron pin in the boundary of the Seaboard Railroad right-of-way;

THENCE, leaving the river along the western boundary of the Seaboard Railroad right-of-way, along a curve to the right having a delta of 11° 59' 18", a radius of 3,267.54 feet, a distance of 683.69 feet to an iron pin;

THENCE, continuing with the railroad right-of-way, S 84° 43' 36" E, 41.56 feet to an iron pin;

Appendix A

THENCE, leaving the railroad along a fence bounded by the Martin O. Lannom property as recorded in Book 6269, Page 13, Register's Office of Davidson County, the following two calls:

S 16° 24' 03" E, 1,561.24 feet to an 18" oak;
S 17° 53' 35" E, 1,239.88 feet to an iron pin set in the northern margin of Newsom Station Road;

THENCE, leaving said road margin and continuing with the Lannom property, the following two calls:

S 69° 28' 45" W, 358.21 feet to an iron pin;
S 22° 48' 55" E, 310.51 feet to an iron pin in the western margin of Newsom Station Road;

THENCE, along the western and northern margin of Newsom Station Road, the following ten calls:

S 12° 29' 06" E, 72.49 feet to a 24" Hackberry;
S 18° 41' 19" E, 234.69 feet to an iron pin;
S 21° 26' 58" E, 352.39 feet to an iron pin;
Along a curve to the right having a delta of 102° 39' 03", a radius of 69.16 feet, a distance of 123.91 feet to an iron pin;
S 81° 12' 30" W, 499.73 feet to an iron pin;
N 08° 59' 07" W, 26.52 feet to a concrete monument;
S 80° 49' 55" W, 157.64 feet to a concrete monument;
Along a curve to the left having a delta of 21° 40' 51", a radius of 345.00 feet, a distance of 130.55 feet to a concrete monument;
N 27° 08' 04" W, 13.72 feet to a concrete monument;
S 59° 34' 34" W, 207.32 feet to an iron pin;

THENCE, leaving said road margin, N 25° 18' 39" W, 36.64 feet bounded by Tract No. ID, Biltmore Properties to an iron pin, this point being the point of beginning.

Containing 6,590,782 square feet or 151.30 acres, more or less.

Tract 1-B

Being a parcel of land located in the Second Civil District, 23rd Councilmanic District, Nashville, Davidson County, Tennessee, said parcel being located north of I-40 and Newsom Station Road and east of McCrory Lane, being more particularly described as follows:

BEGINNING at a point, this point being a concrete right-of-way marker for I-40 where the right-of-way intersects the right-of-way of Newsom Station Road approximately 2,375 feet east of the centerline of McCrory Lane along Newsom Station Road;

THENCE, along the southern boundary of Newsom Station Road, the following Six calls:

N 61° 19' 04" E, 391.55 feet to a concrete right-of-way marker;
N 30° 48' 22" W, 15.42 feet to a concrete right-of-way marker;
With a curve to the right having a delta of 21° 45' 36", a radius of 255.00 feet a distance of 96.84 feet to a concrete right-of-way marker;
N 81° 40' 36" E, 157.74 feet to a concrete right-of-way marker;
N 09° 58' 16" W, 32.20 feet to a point;
N 81° 12' 30" E, 0.77 feet to the corner of a rock wall at a cemetry;

THENCE, leaving said Newsom Station Road right-of-way the following three calls bounding a cemetry and the wall that surrounds it:

S 15° 23' 35" E, 156.26 feet to a corner of the rock wall;
N 80° 38' 17" E, 208.73 feet to a corner of the rock wall;
N 16° 08' 25" W, 155.08 feet to a corner of the rock wall in the southern margin of Newsom Station Road;

THENCE, along the southerly margin of Newsom Station Road the following two calls:

N 81° 12' 30" E, 292.72 feet to an iron pin;
Along a curve to the left having a delta of 70° 53' 25", a radius of 102.16 feet, a distance of 126.40 feet to an iron pin, in the westerly line of the Lannom property as recorded in Book 6269, Page 13, Register's Office of Davidson County;

THENCE, leaving the margin of Newsom Station Road and bounded by the Lannom property the following two calls:

S 40° 25' 06" E, 75.27 feet to a two inch-pipe;
S 21° 35' 17" E, 379.97 feet to a concrete right-of-way marker;

THENCE, along the I-40 right-of-way the following three calls:

S 21° 36' 30" E, 21.19 feet to a right-of-way marker; along a curve to the left, a delta of 0° 59' 52", a radius of 22,720.32 feet, a distance of 395.70 feet to a concrete right-of-way marker;
S 89° 18' 12" W, 956.28 feet to the point of beginning.

Containing 288,801 square feet, or 6.63 acres, more or less.

Tract 1-C

Being a parcel of land located in the Second Civil District, 23rd Councilmanic District, Nashville, Davidson County, Tennessee, said parcel being located in the northwest of the intersection of I-40 and McCrory Lane, being more particularly described as follows:

BEGINNING at a point, said point being a concrete right-of-way marker at the intersection of the right-of-way lines of I-40 and McCrory Lane;

THENCE, along the I-40 right-of-way, S 89° 09' 48" W, 189.01 feet to an iron pin:

THENCE, leaving the right-of-way and bounded by the John Nelley, Jr. property as recorded in Book 5692, Page 754, Register's Office of Davidson County, N 10° 44' 21" W, 315.94 feet to an iron pin in the western right-of-way line of McCrory Lane;

THENCE, along the western margin of McCrory Lane, S 38° 51' 29" E, 395.07 feet to the point of beginning.

Containing 29,413 square feet, or 0.68 acres, more or less.

Tract 1-D

Being a parcel of land in the Second Civil District, Davidson County, Tennessee, lying north of Interstate Highway 40 and eastwardly of McCrory Lane and being more particularly described as follows:

BEGINNING at a point in the easterly margin of McCrory Lane, said point being the common corner of the Joyce Baker property as of record in Book 5477, Page 168, Register's Office of Davidson County;

THENCE, with said common boundary being S 83° 04' 20" E, 2,717.75 feet to a point;

THENCE, S 24° 29' 01" E, 36.69 feet to a point in the northerly margin of Newsom Station Road;

THENCE, with said northerly margin S 59° 42' 00" W, 216.80 feet;

THENCE, S 35° 27' 35" E, 14.80 feet to an existing concrete monument in the northerly margin of Interstate Highway 40:

THENCE, with said northerly margin along a curve to the right, having a radius of 253.00 feet and a central angle of 30° 08' 48", a distance of 133.12 feet;

THENCE, S 89° 22' 51" W, 1,176.87 feet to a concrete monument;

THENCE, N 75° 05' 53" W, 1,088.31 feet to a concrete monument in the easterly margin of McCrory Lane;

THENCE, N 45° 20' 40" W, 205.70 feet;

THENCE, N 17° 13' 48" W, 111.51 feet to the point of beginning.

Containing 746,960 square feet, or 17.15 acres, more or less.

Tract II

Being a parcel of land located in the Second Civil District, Davidson County, Tennessee, lying southwardly of Interstate Highway 40 and easterwardly of McCrory Lane and being more particularly described as follows:

BEGINNING at an existing concrete monument in the intersection of the southerly margin of Interstate Highway 40 and the easterly margin of McCrory Lane;

THENCE, with the southerly margin of Interstate Highway 40 N 81° 11' 01" E, 454.08 feet to a concrete monument;

THENCE, N 89° 24' 18" E, 999.82 feet to a point;

THENCE, S 00° 39' 00" E, 59.60 feet to a point;

THENCE, N 89° 21' 50" E, 399.67 feet to a concrete monument;

THENCE, N 83° 57' 17" E, 650.57 feet to a concrete monument;

THENCE, with a curve to the left having a radius of 23,068.32 feet and a central angle of 01° 15' 40" for a distance of 507.75 feet to a concrete monument;

THENCE, N 87° 32' 09" E, 536.07 feet to a concrete monument;

THENCE, S 02° 51' 27" E, 94.60 feet to a concrete monument;

THENCE, N 86° 16' 10" E, 265.44 feet to an iron pin;

THENCE, S 06° 26' 40" E, 164.54 feet to an existing pipe;

THENCE, S 37° 06' 58" E, 1,540.17 feet to an iron pin;

THENCE, N 82° 46' 42" W, 1,076.58 feet an iron pin;

THENCE, S 10° 06' 29" W, 321.26 feet to an iron pin in the easterly margin of McCrory Lane;

THENCE, with said easterly margin N 40° 33' 10" W, 53.17 feet to an iron pin;

THENCE, with a curve to the left, having a radius of 1,445 feet and a central angle of 07° 59' 50", a distance of 201.69 feet to a point:

THENCE, S 41° 27' 00" W, 5.00 feet to a point;

THENCE, with a curve to the left, having a radius of 1,440 feet and central angle of 14° 07' 00", a distance of 354.79 feet to a point;

THENCE, S 27° 20' 00" W, 5.00 feet to a point:

THENCE, with a curve to the left having a radius of 1,435 feet and a central angle of 22° 42' 09", a distance of 568.60 feet to an iron pin;

THENCE, N 85° 22' 09" W, 259.37 feet to an iron pin;

THENCE, with a curve to the right, having a radius of 2,757.77 feet and a central angle of 11° 31' 18", a distance of 554.56 feet to an iron pin:

THENCE, N 73° 50' 51" W, 482.26 feet to an iron pin;

THENCE, N 16° 09' 09" E, 5.00 feet to an iron pin;

THENCE N 73° 50' 51" W, 259.79 feet to an iron pin;

THENCE, with a curve to the right, having a radius of 1,371.71 feet and a central angle of 16° 32' 07", a distance of 395.87 feet to a point:

THENCE, N 57° 18' 44" W, 453.87 feet to a point;

THENCE, N 32° 41' 16" E, 30.00 feet to a point;

THENCE, N 59° 32' 34" W, 435.61 feet to the point of beginning.

Containing 3,893,246 square feet, or 89.38 acres, more or less.

Tract III

Being a parcel of land located in the Second Civil District, 23rd and 35th Councilmanic District, Nashville, Davidson County, Tennessee, 12th Civil District, Cheatham County, Tennessee, said parcel being located south of I-40 and west of McCrory Lane, being more particularly described as follows:

BEGINNING at an iron pin in the south margin of McCrory Lane, said point being approximately 1.3 miles east of the intersection of McCrory Lane and I-40 and also being the northeast corner of the R. H. Buchanan property, as recorded in Book 3136, Page 415, R.O.D.C., and Book 5114, Page 629, R.O.D.C.;

THENCE, along a fence line and bounded by the Buchanan property the following seven calls:

N 84° 42' 42" W, 167.62 feet to an iron pin;
S 04° 03' 48" W, 382.27 feet to an iron pin;
S 19° 33' 42" E, 383.19 feet to a corner stone;
S 09° 11' 19" W, 118.06 feet to an iron pin;
S 31° 17' 57" E, 527.15 feet to an iron pin;
S 66° 54' 18" E, 240.98 feet to a fence corner;
S 07° 33' 33" W, 394.50 feet to a post at an old stump;

THENCE, along a fence bounded by the Jerry D. Heath property, Book 5461, Page 731, R.O.D.C., the following five calls:

N 81° 23' 59" W, 992.56 feet to an iron pin;
S 06° 56' 27" W, 526.75 feet to a planted stone;
N 83° 23' 37" W, 784.38 feet to an iron pin;
N 06° 43' 10" E, 538.77 feet to a planted stone;
N 82° 09' 12" W, 647.27 feet to a red painted rock in the middle of a stump;

THENCE, leaving the fence line, the following call bounded by the Jerry D. Heath property, S 07° 31' 29" W, 2,521.22 feet to an iron pin;

THENCE, near a fence line and bounded by the Freddy L. Judd property, Book 4945, Page 299, R.O.D.C., S 00° 45' 12" W, 399.66 feet to an iron pin;

THENCE, the following call which is bounded by the Danny Sullivan property, Book 6370, Page 285, the Paul W. Watson property, Book 5900, Page 283, the Johnny Dunlap property, Book 5952, Page 860, and the R. T. Pinkerton property, Book 2033, Page 174, R.O.D.C., N 84° 57' 38" W, 2,063.87 feet to an iron pin;

THENCE, continuing with the boundary of the R. T. Pinkerton property the following two calls:

S 07° 51' 26" W, 1,066.73 feet to an iron pin;
N 84° 44' 00" W, 352.00 feet to a planted stone with red paint;

THENCE, the following eight calls bounded by the Mrs. Armada Pinkerton property, Book 5449, Page 649, R.O.D.C.:

N 21° 28' 07" W, 1,170.35 feet to an iron pin;
N 03° 50' 15" E, 919.02 feet to the middle of a rock by a 30" beech;
N 84° 10' 38" W, 716.27 feet to an iron pin;
N 05° 41' 26" E, 869.27 feet to an iron pin;
N 76° 52' 14" W, 2,794.85 feet to an iron pin;

S 02° 49' 19" W, 1,409.60 feet to an iron pin;
N 87° 13' 28" W, 2,419.64 feet to a 30" beech;
S 01° 38' 43" E, 155.70 feet to an iron pin;

THENCE, N 84° 50' 45" W, passing through the Davidson-Cheatham County line and bounded by the Willie Lee Davis property, Book 4902, Page 588, R.O.D.C., 1,225.96 feet to an iron pin;

THENCE, continuing with the Willie Lee Davis property, N 01° 47' 19" E, 793.85 feet to an iron pin;

THENCE, with the Willie Lee Davis property, as recorded in Book 80, Page 322, R.O.C.C., the following two calls:

N 84° 46' 36" W, 156.74 feet to a 24" beech with white paint;
N 83° 03' 01" W, 53.53 feet to an iron pin;

THENCE, with the Willie Lee Davis property, as recorded in Book 4902, Page 589, R.O.D.C., N 01° 27' 03" E, 532.51 feet to an iron pin;

THENCE, with the Willie Lee Davis property, Book 4902, Page 589, R.O.D.C., and Book 80, Page 322, R.O.C.C., N 84° 24' 05" W, 2,390.98 feet to a 2" iron pipe;

THENCE, continuing with the Willie Lee Davis property, the following four calls:

N 05° 48' 08" E, 156.47 feet to a 1" iron pipe;
N 83° 05' 26" W, 462.00 feet to an iron pin;
S 30° 11' 14" W, 670.83 feet to an iron pin;
N 80° 35' 01" W, 100.00 feet to a point in the center of the South Harpeth River;

THENCE, the following seven calls along the approximate centerline of the South Harpeth River, and bounded by the Arthur L. Brooks property, Book 137, Page 409, R.O.C.C.;

N 37° 49' 29" E, 451.22 feet to a point;
N 19° 11' 21" E, 591.26 feet to a point;
N 23° 17' 29" E, 155.93 feet to a point;
N 27° 19' 26" E, 275.42 feet to a point;
N 20° 42' 12" W, 68.57 feet to a point;
N 47° 40' 00" W, 242.00 feet to a point;
N 62° 07' 00" W, 192.50 feet to a point;
N 80° 17' 59" W, 341.14 feet to a point;

THENCE, leaving the center of the river, the following three calls bounded by the Robert A. Mathews property, Book 134, Page 471, R.O.C.C.;

N 44° 19' 25" E, 149.62 feet to an iron pin;
N 82° 08' 27" E, 720.67 feet to a flat rock with carved "D";
N 07° 11' 12" E, 2,972.27 feet to an iron pin;

THENCE, the following call which crosses the Davidson-Cheatham County line and is bounded by the Jesse L. Anderson heirs property, Book 72, Page 207, R.O.C.C., the Howell Jackson Lynch, Jr., property, Book 207, Page 343, R.O.C.C., the Jack R. Underwood property, Book 167, Page 477, R.O.C.C., and the John W. Nelley, Jr., and Howard Peterson property, Book 5692, Page 754, R.O.D.C., S 88° 08' 04" E, 4,370.36 feet to an iron pin;

THENCE, continuing with the Nelley and Peterson property, the following 11 calls:

S 06° 36' 25" E, 273.69 feet to an iron pin;
S 67° 49' 08" E, 495.85 feet to an iron pin;
S 01° 47' 52" W, 589.06 feet to an iron pin;
N 87° 14' 23" E, 590.37 feet to an iron pin;
N 69° 16' 22" E, 359.99 feet to an iron pin;
N 57° 15' 03" E, 344.96 feet to an iron pin;
N 76° 16' 02" E, 238.02 feet to an iron pin;
N 35° 38' 41" E, 499.50 feet to an iron pin;
N 23° 12' 30" E, 373.87 feet to an iron pin;
N 30° 56' 40" E, 91.99 feet to an iron pin;

N 52° 13' 14" E, 200.19 feet to an iron pin in the southerly margin line of I-40;

THENCE, in an easterly direction with the southerly margin of I-40, the following six calls:

With a curve to the left having a delta of 01° 36' 00", a radius of 5,894.58 feet, a distance of 164.61 feet to a concrete right-of-way marker;
N 89° 17' 40" E, 651.03 feet to a concrete right-of-way marker;
S 84° 15' 21" E, 1,494.96 feet to an existing concrete right-of-way marker;
With a curve to the right, having a delta of 24° 01' 43", a radius of 889.93 feet, a distance of 373.22 feet to a concrete right-of-way marker;
S 59° 27' 07" E, 146.91 feet to a concrete right-of-way marker;
N 32° 40' 46" E, 30.01 feet to a point in the southerly margin of McCrory Lane;

THENCE, with the southerly margin of McCrory Lane, the following five calls:

S 57° 19' 37" E, 453.69 feet to an iron pin;
With a curve to the left, having a delta of 16° 29' 50", a radius of 1,454.37 feet, a distance of 418.76 feet, to an iron pin;
S 73° 49' 49" E, 258.33 feet to an iron pin;
N 16° 09' 16" E, 4.97 feet to a point;
S 73° 49' 26" E, 168.04 feet to an iron pin;

THENCE, leaving McCrory Lane margin, the following three calls bounded by the Alfred C. Farris, III, property, Book 3312, Page 241, R.O.D.C., and the Joseph C. Erwin, Jr., property, Book 5446, Page 47, R.O.D.C.;

S 26° 03' 06" W, 910.66 feet to an iron pin;
S 51° 43' 02" E, 755.52 feet to an iron pin;
N 26° 03' 32" E, 1,235.50 feet to an iron pin in the southerly margin of McCrory Lane;

THENCE, with the southerly margin of McCrory Lane, the following 12 calls:

With a curve to the left having a delta of 02° 23' 15", a radius of 2,807.77 feet, a distance of 117.00 feet to an iron pin;
S 85° 21' 21" E, 259.98 feet to an iron pin;
With a curve to the right having a delta of 36° 52' 20", a radius of 1,385.00 feet, a distance of 891.31 feet to an iron pin;
S 41° 31' 00" W, 15.00 feet to a point;
With a curve to the right having a delta of 08° 05' 03", a radius of 1,370.00 feet, a distance of 193.30 feet to an iron pin;
N 49° 36' 03" E, 15.00 feet to an iron pin;
S 40° 23' 57" E, 204.85 feet to an iron pin;
With a curve to the left having a delta of 17° 57' 58", a radius of 1,197.17 feet, a distance of 375.39 feet to an iron pin;
S 58° 21' 55" E, 363.22 feet to an iron pin;
With a curve to the right having a delta of 20° 39' 30", a radius of 2,823.29 feet, a distance of 1,017.95 feet to an iron pin;
S 37° 42' 25" E, 340.69 feet to an iron pin, this point being the point of beginning.

Containing 74,717,178 square feet, or 1,715.3 acres, more or less.

Parcel 2

Being a tract of land in the Eleventh Civil District of Cheatham County, Tennessee, and being more particularly described as follows:

Beginning at an iron pin on top of a ridge near an old ridge road, said iron pin being the corner of the Jessie L. Anderson heirs property, now Francis Anderson property, and James R. Kellam III corner, and being a point in the line of Farris Hardwood Lumber Company; thence, with the Farris line, S 89°-57'-07" E 2347.30 feet to a 10" Post Oak, said tree being a common corner with the land of Jack R. Underwood; thence with the Underwood line, N 2°-12'-12" E 1583.54 feet to an iron pin in the Interstate 40 Right-of-Way fence; thence, with the South Right-of-Way of Interstate 40, N 55°-48'-46" W 669.91 feet to a concrete highway monument;

thence, N 34°-34'-08" E 24.96 to a concrete highway monument; thence, N 53°-52'-36" W 1298.81 feet to a concrete highway monument; thence, N 53°-52'-36" W 1298.81 feet to a concrete highway monument; thence, N 36°-54'-57" E 35.00 feet to a concrete highway monument; thence, N 61°-47'-25" W 406.68 feet to a concrete highway monument, said monument at Station 515+03.9/110' Rt. of Interstate 40 Right-of-Way and a common corner with the Jessie L. Anderson heirs property; thence, with the Anderson line, S 5°-50'-02" W 2294.39 feet to an iron pin; thence, S 58°-03'-16" W 181.57 feet to an iron pin; thence, S 9°-10'-30" W 592.27 feet to an iron pin, the point of beginning; the above described property containing 112.54 acres, more or less; the foregoing description according to a description of a survey of said property by Wayne S. Copley, a Registered Land Surveyor, survey dated February 26, 1980. Being the same property conveyed to Howell Jackson Lynch, Jr. from James R. Kellam, III, unmarried, by Warranty Deed of record in Book 207, page 343, Register's Office for Cheatham County, Tennessee and subsequently conveyed to Calvin D. Dunham, Jr., Trustee, by deed of record in Book 238, page 772, said Register's Office.

THE AFOREREFENCED PROPERTY HAS ALSO BEEN DESCRIBED ACCORDING TO A SURVEY OF BARGE, WAGGONER, SUMNER & CANNON DATED MARCH 14, 1986 AS FOLLOWS:

Being a parcel of land in the Twelfth Civil District, Cheatham County, Tennessee, said parcel being located southerly from and adjacent to Interstate 40, approximately 1-1/2 miles west of McCrory Lane, being property conveyed to Howell Jackson Lynch, Jr., by deed of record in Book 207, Page 343, R.O.C.C., Tennessee, and being more particularly described as follows:

BEGINNING at a concrete monument in the southerly margin of Interstate 40, said point being located at Highway Station 515+00, said point also being the northwesterly corner of the hereindescribed parcel;

THENCE, with said southerly margin in the following calls:

S 52° 31' 08" E, 399.32 feet to a concrete monument;
S 33° 54' 33" W, 32.72 feet to a concrete monument;
S 52° 51' 45" E, 1,299.65 feet to a concrete monument;
S 37° 30' 43" W, 24.51 feet to a concrete monument;
S 52° 53' 12" E, 669.91 feet to an iron pin;

THENCE, leaving said southerly margin with the westerly line of the property conveyed to Jack R. Underwood, by deed of record in Book 167, Page 477, R.O.C.C., the following calls:

S 06° 56' 21" W, 350.01 feet to a planted stone;
S 04° 34' 43" W, 1,190.53 feet to an iron pin in the northerly line of the property conveyed to Biltmore Properties, Inc., by deed of record in Book 6530, Page 518, R.O.D.C.;

THENCE, with said northerly line N 88° 08' 04" W, 2,347.30 feet to an iron pin in the easterly line of the property conveyed to Francis Anderson, by deed of record in Book 205, Page 320, R.O.C.C.;

THENCE, with said easterly line, the following calls:

N 12° 02' 26" E, 593.05 feet to a steel corner post;
N 60° 52' E, 181.50 feet to a steel corner post;
N 08° 42' 24" E, 2,294.52 feet to the point of beginning.

Containing 4,804,599 square feet or 110.30 acres, more or less.

KLF/vgs

Appendix A

OFFICIAL RECEIPT

FELIX Z. WILSON, II

REGISTER OF DAVIDSON COUNTY
NASHVILLE, TENNESSEE

RECEIVED OF _____

FOR _____

BOOK 6805 PAGE 822

CO - CONVEYANCE	CC - CERTIFIED COPY	MISC - MISCELLANEOUS
MO - MORTGAGE	REL - RELEASE	CO TX - STATE TAX CONVEY
WD - WARRANTY DEED	UCC - UNIFORM COMMERCIAL CODE	MO TX - STATE TAX MORT
TD - TRUST DEED		PRFEE - PROBATE FEE

DATE	SYMBOL	VALUATION	TAX AND FEES	TOTAL PAID

11,488,645.90 conv ✓
29870.36 CSTAX
.50 PRFEE
40.00 WDEED
CHECK29918.86-
3803A03/17/86 BAL .00

RECEIPT IS NOT VALID UNTIL CHECK IS PAID BY BANK

8 3 6 9 4

IDENTIFICATION REFERENCE

MAR 17 3 21 PM '86

FELIX Z. WILSON II REGISTER
DAVIDSON COUNTY, TN

No. 228099